



THE MERCIAN GEOLOGIST

JOURNAL

OF THE

EAST MIDLANDS GEOLOGICAL SOCIETY

VOLUME 4 NUMBER 3 FEBRUARY 1973

EDITOR: W.A.CUMMINS

$\underline{\text{CONTENTS}}$

		Page
F.M. TAYLOR A.R.E. HOULDSWORTH	The Permo-Triassic/Upper Carboniferous unconformity at Swancar Farm, Trowell Moor, Nottinghamshire.	165
F.M. TAYLOR A.R.E. HOLDSWORTH	The distribution of barite in Permo-Triassic sandstones at Bramcote, Stapleford, Trowell and Sandiacre, Nottinghamshire.	171
N.J.D. BUTCHER T.D. FORD	The Carboniferous Limestone of Monsal Dale, Derbyshire.	179
L.A. RILEY A.D. KING	Causes of unreliability in microfossil samples.	197
D. PARKINSON	The mid- D_1 unconformity between Hartington and Alsop, Derbyshire.	205
B.M. ABBOTT	A method of predicting the density of fossil corals.	209
A. LUDFORD P. MADGETT H.E. SADLER	The Carboniferous Limestone margin between Crowdecote and Hartington, Derbyshire.	213
A.B. al NAQASH	Application of terrestrial photogrammetry to Earth Sciences.	223
Excursion Reports:-		
T.D. FORD	Excursion to the Castleton caves.	225
P.L. HANCOCK	The Geology of the Wye Valley and the Forest of Dean.	229
F.M. TAYLOR A.R.E. HOULDSWORTH	Permo-Triassic rocks of the Nottingham area.	237
P.E. KENT	North Lincolnshire.	241
Reviews		242
Secretary's Report		243

THE EAST MIDLANDS GEOLOGICAL SOCIETY

Council 1972/73

President: F.M. Taylor, Ph.D., F.G.S., M.I.M.M.

Vice-President: R.E. Elliott, B.Sc., F.G.S.

Secretary: Mrs. D.M. Morrow.

Treasurer: P.H. Speed, F.G.S.

Editor: W.A. Cummins, B.Sc., Ph.D., F.G.S.

Other Members: The Lord Energlyn, C. Eng., D.Sc., M.I.M.M.

F.L.S., F.R.G.S, F.G.S.

Mrs. M. Beaumont.

G. Jago, A.C.S.M., C.Eng., A.M.I.M.M.

E. Marriott, B.Sc.

W.S. Moffatt, M.Sc., P.A.I.W.E.

V.R. Paling, B.Sc.

H.R. Potter.
R.J.A. Travis.
J.H. Sykes.

I.D. Sutton, Ph.D., F.G.S.

Address for correspondence: The Secretary,

East Midlands Geological Society,

54 Cyprus Road, Mapperley Park,

Nottingham, NG3 5EB.

Price of this issue: £1.75

Subscription rates and other information may be obtained

from the Secretary.

Front cover: The Hemlock Stone. An isolated stack of cross bedded

Bunter Pebble Peds, with barite cement (see Taylor and Houldsworth, this issue, page 174). The origin of the stack has been attributed to marine, glacial and subaerial denudation by various authors (see Shipman, 1884,

Trans. Notts. Nat. Soc.) and as a quarry remnant (Stukely, 1709). The name suggests celtic witchcraft activities and is probably of great antiquity. Comparable pillars of Lower Keuper Sandstone are found elsewhere.

Photograph by A.R.E. Houldsworth.